
Tra	Tracks				
Tracks Marked by Lights → P Leading Beacons → Q Supplementary national symbols:					nal symbols: a — C
1		Lights in line 090°	Leading line (solid line is fairway)		
2		Beacons in line 090°	Transit, clearing line		
3		Lights in line 090°	Recommended track based on a system of fixed marks	2 Bns ≠ 090.5°-270.5°	>>- >>-
4	<>		Recommended tracks not based on a system of fixed marks	<u>090.5°-270.5°</u> 	
5.1	>>-		One-way track	**	
5.2			Two-way track (including a regulation described in a note)	** SEE NOTE>-	
6		< 7m >	Track, recommended track with maximum authorized draft stated		

Routing Measures					
Bas	Basic Symbols Supplementary national symbols: d -e				
10		Established (mandatory) direction of traffic flow			
11	===⇒	Recommended direction of traffic flow	===\$		
12		Separation line			
13		Separation zone			
14	RESTRICTED AREA	Limit of restricted area	#		
15		Maritime limit in general	r — — — — — — — — — — — — — — — — — — —		
16	PRECAUTIONARY AREA	Precautionary area	Precautionary Area		

NOTES



Examples of Routing Measures

20.1	Traffic separation scheme, traffic separated by separation zone			
20.2	Traffic separation scheme, traffic separated by natural obstructions			
20.3	Traffic separation scheme, with outer separation zone, separating traffic using scheme from traffic not using it			
21	Traffic separation scheme, roundabout			
22	Traffic separation scheme, with "crossing gates"			
23	Traffic separation schemes crossing, without designated precautionary area			
24)	Precautionary area			
25.1	Inshore traffic zone, with defined end-limits			
25.2	Inshore traffic zone without defined end-limits			
26.1)	Recommended direction of traffic flow, between Traffic separation schemes			
26.2	Recommended direction of traffic flow, for ships not needing a deep water route			
27.1)	Deep water route, as part of one-way traffic lane			
27.2	Two-way deep water route, with minimum depth stated			
27.3	Deep water route, centerline as recommended One-way or Two-way track			
28.1)	Recommended route (often marked by centerline buoys)			
28.2	Two-way route with one-way sections			
29.1)	Area to be avoided, around navigational aid			
29.2	Area to be avoided, because of danger of stranding			

Radar Surveillance Systems					
30	O O Ra		Radar Surveillance Station	e Radar Surveillance Station	
31			Radar range	R& Cuxhaven	
32.1			Radar reference line		— Ra —— Ra —
32.2			Radar reference line coinciding with a leading line	Ra 270°-090°	

Ra	Radio Reporting Points				
40	AY.	√ B	Radio reporting (calling-in or way) points showing direction(s) of vessel movement with designation (if any)	₹	

Fer	Ferries				
50	Ferry	Ferry			
51	Cable terry	Cable Ferry	Cable Ferry		

Sup	Supplementary National Symbols					
а	←→ DW ←→	Recommended track for deep draft vessels (track not defined by fixed marks)				
b	→ DW83 H. → OD NO.	Depth is shown where it has been obtained by the cognizant authority				
С		Alternate course				
d		Established traffic separation scheme: Roundabout				
е	0	If no separation zone exists, the center of the roundabout is shown by a circle				